

## Brackets and Accessories

All Dimensions in Millimeters  
All Fasteners 7/16 UNF Unless Stated Otherwise

K7099 Droplink 250mm


K7099S Droplink 150mm

DROP LINK EXAMPLE




Note: Drop Link kits include a rubber cover that has not been drawn here

1



3


K6629 Extension Belt



Note: Check the usage guide on the APV website for vehicle compatibility

2


K6040 Box Cover



Suits APV ELR Retractors

4


K8661 Wrap Around Cover



Suits APV ELR Retractors

5

## K4425




6

## K4425 Example

This bracket can be cut at any appropriate length, ensuring at least 10mm of material is left between the mounting point and trimmed edge.


The bracket can also be bent at angles up to 45°. Bends to the bracket should be performed across whole sections, with the bend not being interrupted by mounting point holes.

See the K4425 instruction sheet for details.




7

## K4408




8

## K4409




9

## K4410




10

## K4414




11

## K4415




12

## K4416




13

## K4400




14

## K4417




15

## K4418



16

## K8562 1/2 UNC Fitting Kit - Lap 2P



17

## K2889 Stalk Bolt



20

## K2889L Stalk Bolt 58mm



21

## K2888 Bolt Anchor




22

## K2888L Bolt Anchor 58mm



23

## K2890 Bolt Stem



24

## K6060 Button Stop

Kit includes 10 pairs



25

## K8563 1/2 UNC Fitting Kit - OP 3P



18

## K8564 1/2 UNC Fitting Kit - IP 4P



19


### K2891 Belt/Loop Link




### K2892 Static Lap/Sash



### K6030 Bolt Cap




### K3740 Extension Strap 300mm



### K1697 Child Anchor Kit



### K3741 Extension Strap 600mm



### K1171 Extension Strap Adjustable

